

Chemical Compatibility Guide for: FTI EFP Pumps

This report is offered as a guide and was developed from information which, to the best of New Pig's knowledge, was reliable and accurate. Due to variables and conditions of application beyond New Pig's control, none of the data shown in this guide is to be construed as a guarantee, expressed or implied. New Pig assumes no responsibility, obligation, or liability in conjunction with the use or misuse of the information.



New Pig

One Pork Avenue
Tipton, PA 16684-0304

newpig.com

North America: **1-800-468-4647**

Europe: **+31 (0)76 596 92 50**

China: **+86-21-400 921 5178**

UK: **0800 919 900**

Outside North America: **+1-814-684-0101**

PIG, PIG logo are registered trademarks in USA and other countries. See tm.newpig.com

360300



Chemical Resistance and Material Selection Guide for FTI Drum Pumps

The information in the following guide lists the corrosion resistance of the 3 materials available for Finish Thompson drum pump outer tubes. Additional wetted materials will be found inside the pump tube (such as Alloy 625, PTFE, FKM, etc.). Generally, if the outer tube is suitable, these materials will also be suitable. Therefore, pump material selection is based on the outer tube material. Additional information such as fluid viscosity, temperature and motor preference is ultimately required to determine the proper pump and motor models best suited for each application.

This guide is to be considered as a basis for recommendation, but not as a guarantee. Where chemical compatibility is in question, the material should be tested under actual field conditions to determine the best choice. All test data listed is at ambient temperature (72° F) unless otherwise stated. Contact FTI sales with any questions.

Compatibility Ratings:	
R	Recommended
F	Fair, should be tested under field conditions
NR	Not Recommended
-	Unknown, contact chemical supplier
*	Use only Air or EXP electric motors w/ stainless steel tubes & SPK when pumping flammables
Note: When pumping solvents, the TTS Series w/ SPK and EXP electric or Air motor is generally the best choice.	
Tube Construction Material vs. Drum Pump Models (See Table on Next Page for specific systems):	
Polypropylene	EFP and PFP models
Stainless Steel	EFS, PFS and TTS model
Motor Type:	
ODP	Open Drip-Proof
A	Air
TEFC	Totally Enclosed Fan Cooled
EXP	Explosion-Proof

FTI Pump Systems

New Pig Part #	Description	Motor Type	
DRM1082	FTI .33 HP Electric Drum Pump System with EFP Pick-Up Tube	ODP	Open Drip-Proof
IBC8002	FTI .33 HP Electric IBC Pump System with EFP Pick-Up Tube	ODP	Open Drip-Proof
IBC8003	FTI .33 HP Electric IBC Pump System with EFP Pick-Up Tube	ODP	Open Drip-Proof
DRM8010	FTI Lithium Battery-Operated Drum Pump System with EFP Pick-Up Tube	ODP	Open Drip-Proof
IBC8014	FTI Lithium Battery-Operated IBC Pump System with EFP Pick-Up Tube	ODP	Open Drip-Proof
IBC8015	FTI Lithium Battery-Operated IBC Pump System with EFP Pick-Up Tube	ODP	Open Drip-Proof
DRM1081	FTI EFP Pick-Up Tube	N/A	N/A
IBC001	FTI IBC EFP Pick-Up Tube	N/A	N/A
IBC005	FTI IBC EFP Pick-Up Tube	N/A	N/A

Chemical	EFP	Motor Type
Acetaldehyde*	NR	A, EXP
Acetate Solvents*	NR	A, EXP
Acetic Acid, 10-80%	R	ODP, A, TEFC
Acetone*	NR	A, EXP
Alcohols*	NR	A, EXP
Aluminum Chloride	R	ODP, A, TEFC
Aluminum Hydroxide	R	ODP, A, TEFC
Ammonia, Aqua, 10%*	NR	A, EXP
Ammonium Nitrate	R	ODP, A, TEFC
Ammonium Sulfate	R	ODP, A, TEFC
Amyl Acetate*	NR	A, EXP
Arsenic Acid	R	ODP, A, TEFC
Barium Carbonate	R	ODP, A, TEFC
Benzene* (Benzol)*	NR	A, EXP
Bleach (sodium hypochlorite)	NR	ODP, A, TEFC
Borax (sodium borate)	R	ODP, A, TEFC
Boric Acid	R	ODP, A, TEFC
Brine	R	ODP, A, TEFC
Butyl Acetate*	NR	A, EXP
Butylene*	NR	A, EXP
Butyric Acid	R	ODP, A, TEFC
Calcium Carbonate	R	ODP, A, TEFC
Calcium Chloride	R	ODP, A, TEFC
Calcium Hypochlorite	R	ODP, A, TEFC
Calcium Sulfate	R	ODP, A, TEFC
Carbon Disulfide*	NR	A, EXP
Carbon Tetrachloride	NR	ODP, A, TEFC
Carbonic Acid	R	ODP, A, TEFC
Caustic Soda	R	ODP, A, TEFC
Chlorinated water >3,500 ppm	NR	ODP, A, TEFC

Chemical	EFP	Motor Type
Chlorobenzene*	NR	A, EXP
Chromic Acid 40%	NR	ODP, A, TEFC
Citric Acid	R	ODP, A, TEFC
Copper Cyanide	R	ODP, A, TEFC
Cyclohexane*	NR	A, EXP
Cyclohexanol*	NR	A, EXP
Cyclohexanone*	NR	A, EXP
Detergent Solutions	R	ODP, A, TEFC
Diacetone Alcohol*	NR	A, EXP
Dichloroethylene *	NR	A, EXP
Diesel Fuel*	NR	A, EXP
Diethyl Ether*	NR	A, EXP
Ether*	NR	A, EXP
Ethyl Acetate*	NR	A, EXP
Ethyl Chloride*	NR	A, EXP
Ethyl Ether*	NR	A, EXP
Ethylene Chloride*	NR	A, EXP
Ethylene Glycol	R	ODP, A, TEFC
Fatty Acids	-	ODP, A, TEFC
Ferric Chloride	R	ODP, A, TEFC
Ferric Nitrate	R	ODP, A, TEFC
Ferrous Chloride	R	ODP, A, TEFC
Formaldehyde 37%	R	ODP, A, TEFC
Formic Acid	R	ODP, A, TEFC
Fuel Oils*	NR	A, EXP
Furfural*	NR	A, EXP
Gasoline*	NR	A, EXP
Glucose	R	ODP, A, TEFC
Glycerine (Glycerol)	R	ODP, A, TEFC
Hexane*	NR	A, EXP
Hydrobromic Acid, 20%	F	ODP, A, TEFC
Hydrochloric Acid, 37%	R	ODP, A, TEFC
Hydrofluoric Acid, 50%	NR	ODP, A, TEFC
Hydrogen Peroxide	F (To 50%)	ODP, A, TEFC
Ink	-	ODP, A, TEFC
Iodine	R	ODP, A, TEFC
Isopropyl Alcohol*	NR	A, EXP
Isopropyl Ether*	NR	A, EXP
Jet Fuels*	NR	A, EXP
Kerosene*	NR	A, EXP
Lacquer Solvents*	NR	A, EXP
Lactic Acid	R	ODP, A, TEFC
Latex	-	ODP, A, TEFC

Chemical	EFP	Motor Type
Lubricants	NR	ODP, A, TEFC
Magnesium Chloride	R	ODP, A, TEFC
Magnesium Hydroxide	R	ODP, A, TEFC
Mercuric Chloride	R	ODP, A, TEFC
Mercuric Cyanide	R	ODP, A, TEFC
Methyl Acetone*	NR	A, EXP
Methyl Ethyl Ketone*	NR	A, EXP
Methyl Isobutyl Ketone*	NR	A, EXP
Methylene Chloride	NR	ODP, A, TEFC
Naphthalene*	NR	A, EXP
Naptha*	NR	A, EXP
Nickel Chloride	R	ODP, A, TEFC
Nickel Sulfate	R	ODP, A, TEFC
Nitric Acid, 10-40%	F	ODP, A, TEFC
Nitric Acid, 40-70%	NR	ODP, A, TEFC
Nitrobenzene*	NR	ODP, A, TEFC
Oleic Acid	R	ODP, A, TEFC
Oleum	NR	ODP, A, TEFC
Phenol	NR	ODP, A, TEFC
Phosphoric Acid	R	ODP, A, TEFC
Plating Solution (Chrome)	NR	ODP, A, TEFC
Plating Solution (Lead)	R	ODP, A, TEFC
Plating Solution (Nickel)	R	ODP, A, TEFC
Plating Solution (Zinc)	R	ODP, A, TEFC
Plating Solutions (Copper)	R	ODP, A, TEFC
Potassium Bicarbonate	R	ODP, A, TEFC
Potassium Chloride	R	ODP, A, TEFC
Potassium Cyanide	R	ODP, A, TEFC
Potassium Hydroxide	R	ODP, A, TEFC
Potassium Nitrate	R	ODP, A, TEFC
Soap Solutions	R	ODP, A, TEFC
Sodium Acetate	NR	ODP, A, TEFC
Sodium Bicarbonate	R	ODP, A, TEFC
Sodium Carbonate	R	ODP, A, TEFC
Sodium Chloride	R	ODP, A, TEFC
Sodium Hydroxide	R	ODP, A, TEFC
Sodium Hypochlorite	NR	ODP, A, TEFC
Sodium Nitrate	R	ODP, A, TEFC
Sulfuric Acid, <70%	R	ODP, A, TEFC
Sulfuric Acid, >70%	NR	ODP, A, TEFC
Tannic Acid	R	ODP, A, TEFC
Tetrahydrofurane *	NR	A, EXP
Toluene*	NR	A, EXP

Chemical	EFP	Motor Type
Trichloroethylene	NR	ODP, A, TEFC
Turpentine*	NR	A, EXP
Urea	R	ODP, A, TEFC
Vinegar	R	ODP, A, TEFC
Water	R	ODP, A, TEFC
White Liquor	R	ODP, A, TEFC
Xylene (xylol)*	NR	A, EXP
Zinc Chloride	R	ODP, A, TEFC
Zinc Sulfate	R	ODP, A, TEFC