



MATERIAL SAFETY DATA 1. PRODUCT:

Captain Tolley's Creeping Crack Cure

Chemical Nature

A low viscosity liquid based on an aqueous acrylic polymer dispersion.

Manufacturer

Captain Tolley Limited
69 Valiant House
Vicarage Crescent
London SW11 3LX

**Emergency Telephone No: 020 7
924 2817**

2. COMPOSITION

Aqueous acrylic polymer dispersion

3. HAZARDS IDENTIFICATION

Essentially non hazardous according to 88/379/EEC
Irritating to eyes and skin.

4. FIRST AID MEASURES

SKIN CONTACT:

Wash off with plenty of soap and water. Do not use organic solvents.

EYE CONTACT:

Immediately rinse with water. Seek medical help if irritation persists.

INHALATION:

Move affected person to fresh air.

INGESTION:

There is no serious hazard. Rinse mouth with water. If swallowing has occurred, the affected person should drink plenty of water. Seek medical attention.

5. FIRE-FIGHTING MEASURES

The wet material will not burn. Dried films are combustible. Water, foam, carbon dioxide or dry powder extinguishers are all suitable.

Exposure Hazards: Do not release chemically contaminated water into drains, soil or surface water. Sufficient measures must be taken to retain water used for extinguishing. Dispose of contaminated water and soil according to local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes and clothing.

Environmental Precautions: Prevent contamination of soil drains and surface water.

Methods for cleaning: Take up with absorbent, dry inert material (e.g. sand) and place in a suitable and closable container for disposal according to local regulations.

7. HANDLING AND STORAGE HANDLING

Captain Tolley's Creeping Crack Cure should be handled, in accordance

with good industrial safety and hygiene practices.

Storage: Store in original undamaged containers securely closed. Store at room temperature away from direct sunlight. Protect from frost.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Technical Protective Measures: No special measures required.

Exposure limits: None.

Respiratory Protection: Not necessary. Work in well ventilated area.

Hand protection: Wear suitable gloves.

Eye protection: Wear suitable goggles or face protection.

Skin protection: Wear overalls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: A milky white liquid.

Odour: Slight characteristic smell of acrylic resin.

New Pig MSDS# (MSD-V119)

10. STABILITY AND REACTIVITY

Captain Tolley's Creeping Crack Cure is stable under normal conditions of use.

11. TOXICOLOGICAL INFORMATION

Long term experience of handling this type of sealer under industrial conditions indicates the absence of any chronic or acute effects.

12. ECOLOGICAL INFORMATION

Captain Tolley's Creeping Crack Cure is totally miscible with water. Prevent contamination of soil, drains or surface water. No other specific information available.

13. DISPOSAL CONSIDERATIONS

Captain Tolley¹'s Creeping Crack Cure is not classified as hazardous waste. But residues should not be charged into drains without prior consent. Existing local regulations must always be complied with.

14. TRANSPORT INFOMATION Captain Tolley¹'s Creeping Crack Cure is not classified as hazardous for transportation.

15. REGULATORY INFORMATION

EC Hazard List: None.

16. OTHER INFORMATION:

None.

This Safety Data Sheet has been prepared in0 accordance with the provisions of the EC SDS Directive EC91/155