



Safety Data Sheet MSDS

Report No: BRIMIN2020739MOR

Date: 10 Jul 2020

PINGYANG SHUERKANG SANITARY PRODUCTS CO., LTD
HELONG ROAD, AOJIANG, PINGYANG, WENZHOU, ZHEJIANG, CHINA

The following sample information provided and confirmed by the clients::

Product name : Alcohol Wipes
Product use : according to the client's application
Material composition : See section 3 of this sds report for details.(provided by the customer).
Date of authorization : 10 Jul 2020
Deadline : 10 Jul 2020
Msds compilation period : 10 Jul 2020-13 Jul 2020

Entrusted requirements : prepare msds according to the material composition provided by the client

Summary: according to the client's application, the content and format of this SDS are prepared in accordance with EU regulation No. 2015/830. For details, please refer to the following.

Signed for and on behalf of
BRI Products Technical Services Co.,Ltd

Kara YE
Senior Engineer



BRI Products Technical
Services Co., Ltd.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.bri-testing.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested.
Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. . This report is not in the accredited scope of CNAS ,CMA and cannot be as domestic social impartiality proof data.

No.46 Jiyuan Road, Jimei District, Xiamen, Fujian , China.
中国·厦门·集美区集源路46号

Tel: 86-592-6254 242

Fax:86-592-6285 945

E-mail: Report@bri-testing.com

Website: <http://www.bri-testing.com>

Safety Data Sheet

Alcohol Wips

Version: V1.0.0.1

Report No.: BRIMIN2020739MOR

Creation Date: 2020/07/10

Revision Date: 2020/07/10

*Prepared according to EU regulation No. 2015/830

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name	Alcohol Wips
Sample Code	U01901200312313-2
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable
REACH Registration Number	Not applicable

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Used for Disinfection clean.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	PINGYANG SHUERKANG SANITARY PRODUCTS CO., LTD
Address of the company	HELONG ROAD, AOJIANG, PINGYANG, WENZHOU, ZHEJIANG, CHINA
Post code	325401
Telephone number	0086-577-63785880
Fax number	0086-577-63785880
E-mail address	1990380066@qq.com

Emergency phone number

Emergency phone number	0086-577-63622223
------------------------	-------------------

2 Hazards identification

CLP classification according to Regulation (EC) No. 1272/2008

According to Regulation (EC) No 1272/2008 and its amendments. This product is:

Flammable Solid Category 2, H228

Label elements

Hazard pictograms	
Signal word	Danger

Hazard statements

H228	Flammable solid
------	-----------------

Precautionary statements

◆ Prevention

P210	Keep away from heat source/spark/open flame/hot surface. No smoking.
P240	Earthing/equipotential connection between container and receiver
P241	Use explosion-proof electrical/ventilation/lighting equipment.
P280	Wear protective gloves/clothing/goggles/mask.

◆ Response

P370+P378	In case of fire: use the appropriate extinguishing medium mentioned in section 5 of this report.
-----------	--

◆ Storage

Storage	No information available
---------	--------------------------

◆ Disposal

Disposal	No information available
----------	--------------------------

Other hazards

Other hazards	No information available
---------------	--------------------------

3 Component

Component	Cas No.	EC No.	Index No.	Hazard classification according to CLP	Mass (%)
Alcohol	64-17-5	200-578-6	-	Flammable liquid Category 2, H225	75%wt
Water	7732-18-5	231-791-2	-	Not Classified	25%wt
Polyester	113669-95-7	-	-	Not Classified	-
Viscose	-	-	-	Not Classified	-

4 First aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

| Most important symptoms and effects, both acute and delayed

1	Please see section 11.
---	------------------------

| Indication of any immediate medical attention and special treatment needed

1	Treat symptomatically.
2	Symptoms may be delayed.

5 Firefighting measures

| Extinguishing media

Suitable extinguishing media	Use extinguishing media suitable for surrounding area.
Unsuitable extinguishing media	There is no restriction on the type of extinguisher which may be used.

| Specific hazards arising from the substance or mixture

1	Containers may explode when heated.
2	May expansion or decompose explosively when heated or involved in fire.

| Advice for firefighters

1	As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
2	Fight fire from a safe distance, with adequate cover.
3	Prevent fire extinguishing water from contaminating surface water or the ground water system.

| Personal precautions, protective equipment and emergency procedures

1	Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
2	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
3	Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

6 Accidental release measures

| Environmental precautions

1	Prevent further leakage or spillage if safe to do so.
2	Discharge into the environment must be avoided.

| Methods and materials for containment and cleaning up

1	Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
2	Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

7 Handling and storage

| Precautions for handling

◆ Protective measures

1	Handling is performed in a well ventilated place.
---	---

2	Wear suitable protective equipment.
3	Avoid contact with skin and eyes.

◆ Measures to prevent fire

1	Keep away from heat/sparks/open flames/ hot surfaces.
---	---

◆ Measures to prevent aerosol and dust generation

1	Avoid formation of dust and aerosols.
2	Provide appropriate exhaust ventilation at places where dust is formed.

◆ Advice on general occupational hygiene

1	Wash hands and face after using of the substances.
2	Replace the contaminated clothing immediately.

| Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed .
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

| Specific end uses

1	In addition to use mentioned in the first parts, unforeseen other specific end uses.
---	--

8 Exposure controls/personal protection

| Control parameters

◆ Occupational Exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
Alcohol 64-17-5	USA-OSHA	1000	1900	-	-
	Korea	1000	1900	-	-
	Ireland	-	-	1000	-
	Germany(AGS)	500	960	1000	1920
	Denmark	1000	1900	2000	3800
	Australian	1000	1880	-	-

◆ Biological limit values

Biological limit values	No information available
-------------------------	--------------------------

◆ Monitoring methods

1	EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
2	GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series standard) .

◆ Derived No effect level(DNEL)

Cas No.	Route of exposure	DNEL for Workers			
		Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)

64-17-5	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
113669-95-7	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
7732-18-5	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available







◆ Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	No information available
--	--------------------------

| Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

| Personal protection equipment

General requirement	     
Eye protection	If necessary , Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
Hand protection	If necessary , Wear protective gloves(such as butyl rubber), passing the tests according to EN 374(EU), US F739 or AS/NZS 2161.1 standard.
Respiratory protection	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
Skin and body protection	If necessary , Wear fire/flamm resistant/retardant clothing and antistatic boots.

9 Physical and chemical properties

| Physical and chemical properties

Appearance	White wet nonwoven
Odor	Weak odor
Odor threshold	No information available
pH	No information available
Melting point/freezing point(°C)	No information available
Initial boiling point and boiling range(°C)	No information available
Flash point(Closed cup, °C)	No information available
Evaporation rate	No information available
Flammability	Flammable

Upper/lower explosive limits[% (v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	No information available
Vapor density(Air=1)	No information available
Relative density(Water=1)	No information available
Solubility(mg/L)	Insoluble in water
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Viscosity(mm ² /s)	No information available
Explosive properties	Not explosive
Oxidizing properties	Not oxidizing

10 Stability and reactivity

Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	In contact with oxidants causes severe reactions, and may cause a fire or explosion. In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Oxidants, alkali metals, alkaline earth metals and aluminum. Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological information

Acute toxicity

Component	Cas No.	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (Inhalation)
Alcohol	64-17-5	7061mg/kg(rat)	Not Listed	39mg/L(Mouse)
Polyester	113669-95-7	Not Listed	Not Listed	Not Listed
Water	7732-18-5	Not Listed	Not Listed	Not Listed

Carcinogenicity

ID	Cas No.	Component	IARC	NTP
1	64-17-5	Alcohol	Category 1	Not Listed
2	113669-95-7	Polyester	Not Listed	Not Listed
3	7732-18-5	Water	Not Listed	Not Listed

Others

Alcohol Wips	
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met

12 Ecological information

Acute aquatic toxicity

Acute aquatic toxicity	No information available
------------------------	--------------------------

Chronic aquatic toxicity

Chronic aquatic toxicity	No information available
--------------------------	--------------------------

Persistence and degradability

Persistence and degradability	No information available
-------------------------------	--------------------------

Bioaccumulative potential

Bioaccumulative potential	No information available
---------------------------	--------------------------

Mobility in soil

Mobility in soil	No information available
------------------	--------------------------

Results of PBT and vPvB assessment

Component	Cas No.	Results of PBT and vPvB assessment (according to (EC) No 2015/830)
Alcohol	64-17-5	not PBT/vPvB
Polyester	113669-95-7	not PBT/vPvB
Water	7732-18-5	not PBT/vPvB

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section 13.1 and 13.2.

14 Transport information

Label and Mark

Transporting Label	Flammable Solid
--------------------	-----------------

IMDG-CODE

IMDG-CODE	Shipping Name: Solids Containing Flammable Liquid, N.O.S.(Containing Alcohol) Class or Division: 4.1 UN No: UN3175 Packing Group : II
-----------	--

ICAO/IATA-DG

ICAO/IATA-DG	Shipping Name: Solids Containing Flammable Liquid, N.O.S.(Containing Alcohol) Class or Division: 4.1 UN No: UN3175 Packing Group : II
--------------	--

UN-ADR

UN-ADR	Shipping Name: Solids Containing Flammable Liquid, N.O.S.(Containing Alcohol) Class or Division: 4.1 UN No: UN3175 Packing Group : II
--------	--

15 Regulatory information

International chemical inventory

Cas No.	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
64-17-5	√	√	√	√	√	√	√	√	√
113669-95-7	×	√	×	×	×	×	√	×	×
7732-18-5	√	√	√	√	√	√	√	√	√

【EINECS】 European Inventory of Existing Commercial Chemical Substances

【TSCA】 United States Toxic Substances Control Act Inventory

【DSL】 Canadian Domestic Substances List

【IECSC】 China Inventory of Existing Chemical Substances

【NZIoC】 New Zealand Inventory of Chemicals

【PICCS】 Philippines Inventory of Chemicals and Chemical Substances

【KECI】 Existing and Evaluated Chemical Substances

【AICS】 Australia Inventory of Chemical Substances

【ENCS】 Existing And New Chemical Substances

European chemical inventory

Cas No.	A	B	C	D	E	F	G
64-17-5	√	×	×	×	×	×	×
113669-95-7	×	×	×	×	×	×	×
7732-18-5	×	×	×	×	×	×	×

- 【 A 】 Candidate list of Substances of Very High Concern for authorization under EU REACH regulation
- 【 B 】 Substances requiring authorisation under EU REACH regulation
- 【 C 】 Substances restricted under EU REACH
- 【 D 】 Pre-registered substances under EU REACH
- 【 E 】 Registered substances under EU REACH
- 【 F 】 Substance Evaluation – CoRAP under EU REACH
- 【 G 】 List of priority substances under EU water policy (Directive 2455/2001/EC)

Note

“√” Indicates that the substance included in the regulations “×”
That no data or included in the regulations

16 Others

Information on revision

Creation Date	2020/07/10
Revision Date	2020/07/10
Reason for revision	-

Reference

- [1]IPCS:The International Chemical Safety Cards (ICSC) ,website: <http://www.ilo.org/dyn/icsc/showcard.home>.
- [2]IARC, website: <http://www.iarc.fr/>.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en.
- [4] CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>.
- [5]NLM:ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>.
- [6]EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov/iris/>.
- [7]U.S. Department of Transportation:ERG, website: <http://www.phmsa.dot.gov/hazmat/library/erg>.
- [8]Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>.

Abbreviations and acronyms

CAS –Chemical Abstracts Service	CMR - Carcinogens, mutagens or substances toxic to reproduction
PC-STEL - Short term exposure limit	PC-TWA - Time Weighted Average
DNEL - Derived No Effect Level	IARC - International Agency for Research on Cancer
RPE - Respiratory Protective Equipment	PNEC –Predicted No Effect Concentration
LC₅₀ - Lethal Concentration 50%	LD₅₀ - Lethal Dose 50%
NOEC -No Observed Effect Concentration	EC₅₀ - Effective Concentration 50%
PBT - Persistent, Bioaccumulative, Toxic	POW - Partition coefficient Octanol:Water
BCF - Bioconcentration factor (BCF)	vPvB - very Persistent, very Bioaccumulative
IMDG -International Maritime Dangerous Goods	ICAO/IATA -International Civil Aviation Organization/International Air Transportation Association
UN -The United Nations	ACGIH -American Conference of Governmental Industrial Hygienists
NFPA -National Fire Protection Association	OECD -Organization for Economic Co-operation and Development

Disclaimer

This Safety Data Sheet (SDS) was prepared according to REACH Regulation The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user’s reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.