

1. Product And Company Identification

Product Identifier: PIG DRAINBLOCKER® Drain Cover with DuPont[®] Elvaloy[®] Technology (MSD-180)

General Use: PIG DRAINBLOCKER® Drain Cover with DuPont[®] Elvaloy[®] Technology is designed to block liquids from getting into drain systems with a unique patented weather, abrasion and puncture-resistant vinyl topped / Polyurethane DRAINBLOCKER® bottom. This composite can withstand being driven over and can be used in heavy traffic areas, prolonged indoor or outdoor operations as well as emergency response situations.

Product Description: Composite Yellow Vinyl top and a Black Polyurethane Bottom in a round, square and rectangular shape. **EMERGENCY TELEPHONE:**

COMPANY PROFILE: New Pig Corporation One Pork Avenue Tipton, PA 16684-0304 Information Number 1-800-468-4647 Website: www.newpig.com, Email: hothogs@newpig.com

INFOTRAC 200 North Palmetto Street Leesburg, FL 34748 24 hrs, 7 days/week 1-800-535-5053

2. Hazards Identification

GHS Classification: Not a dangerous substance according to GHS

POTENTIAL HEALTH EFFECTS:

Eve Contact: No hazard in normal use of product Ingestion: No toxic effects are expected. Inhalation: No hazard in normal use of product Skin Contact: No hazard in normal use of product Chronic: Not established

3. Composition/Information on Ingredients		
<i>Top Layer:</i> CAS: Mixture	Vinyl	100%
Bottom Layer:	Villyi	10070
	Polyurethane elastomer	100%

4. First Aid Measures

Eye Contact: Not applicable Ingestion: Not applicable Inhalation: Not applicable Skin Contact: Not applicable

5. Fire Fighting Measures

Extinguishing Media: Water, chemical foam, dry chemical or carbon dioxide.

Special Fire Fighting Procedures: Firefighters should use self contained breathing apparatus. Avoid breathing smoke, fumes, and decomposition products.

5. Fire Fighting Measures (Continued)

Special Fire Fighting Procedures: Use water spray to drench smoldering elastomer. Product may melt after ignition to form flammable liquids.

Hazardous Combustion Products: Carbon monoxide, oxides of nitrogen and hydrogen cyanide.

Unusual Hazards: Burning produces intense heat, dense smoke, and toxic gases such as carbon monoxide, carbon dioxide, oxides of nitrogen, sulfur dioxide and traces of hydrogen cyanide.

6. Accidental Release Measures

Spill or Leak Procedures: Pick up and handle as any other inert solid material.

7. Handling and Storage

Handling Precautions: Product should be stored flat in the original container, wrapped in the original plastic film or equivalent. After use, decontaminate PIG DRAINBLOCKER® Drain Cover with DuPont® Elvaloy® Technology. During use or storage, product has been found to occasionally connect itself together. Do not let product touch itself.

Storage Precautions: When not in use, should be stored in a cool / dry sheltered compartment (i.e. out of sunlight). Shelf Life: Approximately 5 years.

General: NOTE: Bottom layer: Due to the nature of softer urethane, the physical properties of this product may change over time with exposure to certain environmental conditions, like temperature, humidity and UV radiation. Please inspect the stored product regularly to ensure it is in a usable state. The container can be hazardous when empty. Follow label cautions even after the container is empty. Do not re-use empty containers for food, clothing or products for human or animal consumption, or where skin contact can occur.

8. Exposure Controls/Personal Protection

Engineering Controls: None required PERSONAL PROTECTION Eves: None required Respirator: None required Gloves: None required Other: Do not cut product with hot wire or hot branding unless local exhaust is sufficient to maintain isocyanate fumes below the TLV for TDI (0.005 ppm TWA / 0.02 ppm STEL) or MDI (0.005 ppm TWA). In addition, an air purifying respirator with an organic cartridge is required. OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200): EXPOSURE LIMITS 8 hrs. TWA (ppm)

OSHA PEL

None

ACGIH TLV



9. Physical and Chemical Properties

Appearance: Yellow vinyl top with a black polyurethane bottom Odor Threshold: Not applicable Odor: Slight or no odor pH: Not applicable MELTING POINT/Freezing Point: Bottom layer: 380°F (193°C). Will degrade above 280°F (138°C). Initial Boiling Point and Range: Not applicable Flash Point: Not established Method: Not applicable Evaporation Rate: Not applicable Flammable Limits: Not established Conditions of Flammability: Not established Explosive Properties: Not applicable Vapor Pressure: Not applicable Vapor Density: Not applicable Relative Density (H₂0 = 1): Bottom layer: 1.05 - 1.26 Solubility in Water: Insoluble Coefficient of Water/Oil Distribution: Not available Auto-ignition Temperature: Not established

10. Stability and Reactivity

General: This is a stable material.

Conditions of Reactivity: Not established

Incompatible Materials: May be affected by strong acids and bases

Conditions to Avoid: Hot wire and hot branding. High temperatures and prolonged exposure to humid conditions have been known to cause degradation of Blocker material. **Hazardous Decomposition:** Decomposition through burning produces fumes consisting of organic particulate, gaseous hydrocarbons, carbon dioxide, carbon monoxide, and may contain traces of Toluene Diisocyanate or Diphenylmethane Diisocyanate, Hydrogen cyanide, Acrolein and oxides of nitrogen.

Hazardous Polymerization: Will not occur

11. Toxicological Information

LD50: Not available LC50: Not available Carcinogenicity: IARC: Not established National Toxicology Program: Not established OSHA: Not established California Prop 65: No listed ingredient Reproduction Toxicity: Not available Teratogenicity: Not available Mutagenicity: Not available

11. Toxicological Information (Cont'd)

Synergistic Products: Not available Irritancy of Product: See Section 2. Sensitization to Product: Not available

12. Ecological Information

No data available

13. Disposal Considerations

Waste Disposal Method: If unused, not considered a hazardous material. Dispose of material according to federal, state, and local laws.

14. Transport Information

DOT (Department of Transportation): Proper Shipping Name: Not regulated Hazard Class: Not regulated Identification Number: Not applicable

15. Regulatory Information

CERCLA (Comprehensive Environmental Response Compensation and Liability Act): No Reportable Quantity OSHA Hazard Communication Standard, 29 CFR 1910.1200: No listed ingredient SARA Title III (Superfund Amendments and Reauthorization Act): No listed ingredient TSCA (Toxic Substances Control Act): All ingredients are listed. DSL (Canadian Domestic Substances List): All components of this product are on the Canadian DSL.

16. Other Information

WHMIS Classification: Not a controlled product.

Reason for Issue: Reviewed, changes to Sections 15 & 16. Prepared by: Dale Gatehouse, Entreprises Krenda Inc. Approved by: Lisa Baxter, New Pig Corporation Previous Date of Issue: 04/02/2020 Revised Date: 04/30/2021 SDS Number: MSD-180

The following is in lieu of all warranties, expressed or implied: All information provided is based on testing and data believed to be accurate.