



# Technical Data Sheet

These goods are considered Articles and are therefore exempt from OSHA Hazard Communications Regulations for Safety Data Sheets.

**Technical Data Sheet:** TDS-041

**Product Identifier:** Super PIG® & PIG® Pillow Absorbents (PIL201, PIL204, PIL205, PAN201, PIG100, PIG210, PIG211, PIG212, PIG214)

**General Use:** Super PIG® & PIG® Pillow Absorbents is a biodegradable recycled absorbent that will absorb oil, water, solvents, coolants, and other non-aggressive chemicals. Super PIG® & PIG® Pillow Absorbents is a non-selective cellulose absorbent, designed to absorb and contain oils, water and non-aggressive fluids.

**Composition:**

CAS: 9003-07-0	Polypropylene Skin w/ Polyester stitching	>99%
CAS: 9004-34-6	Cellulose Fibers (Filler)	90-98%
CAS: 68333-79-9	Ammonium Polyphosphate (Filler)	<4%
CAS: 7783-20-2	Ammonium Sulphate (Filler)	<0.1%

**Storage Recommendations:** Store in a cool, dry environment. Avoid long-term contact with direct or reflected sunlight or other sources of UV light, such as high- intensity lighting.

**Shelf Life:** Indefinitely, provided Storage Recommendations are observed.

**Personal Protective Equipment (PPE):**

Gloves: cloth, canvas, leather or rubber gloves are recommended as a good industrial practice.

Eyes: Safety goggles or glasses with side shields as a good industrial practice

**Fire Control Measures:** Unused Form: Water, Foam or carbon dioxide

Used Form: Extinguishing agents appropriate for absorbed liquid

**Physical Properties:**

pH: Not Applicable	
Melting Point:	Outer Material: 302°-338°F / 150°-170°C
Initial Boiling Point and Range:	Not Applicable
Flash Point: Not Available	Method: Not Applicable
Relative Density (H <sub>2</sub> O = 1):	0.7-0.85
Solubility in Water (25°C):	Practically Insoluble
Auto-ignition Temperature:	Inner Material: >450°F (>232°C)

**Stability & Reactivity:**

Conditions of Reactivity:	Not Established
Incompatible Materials:	Acids, Bases, Oxidizing or Reducing Agents
Conditions to Avoid:	Excessive heat or flame or mixing with incompatible materials
Hazardous Decomposition:	Ammonia. If heated above 500°F (260°C): Sulfur Dioxide

**Waste Disposal:** This material is NOT defined as hazardous by the Resource Conservation and Recovery Act. It is the product user's responsibility to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a hazardous waste. Reviewed 10.30.2023